

77200 Latex Milk

Natural rubber, solved in ammonia and pre-polymerized.

This latex milk dries highly elastic. It is suitable as binder for all ammonia-stable pigments, not for verdigris and malachite.

In general, latex is non-irritating to the skin, however latex allergies may arise in some cases. The latex milk film is not lightfast, it becomes sticky when exposed to sunlight.

The latex film tends to adhere only on latex surfaces or if absorbing materials such as linen or cotton can be soaked with the latex.

Powdering latex surfaces with talcum prevents films from sticking together. This procedure must be repeated from time to time.

Certificate of Analysis

Product:	Latex Milk
Produkt No.:	77200
D.R.C. (%-weight)	60.07
Total Solid (%-weight)	61.42
Ammonia (%-weight)	0.25
pH-Value	9.97
KOH Value	0.54
Mechanical stability time	
A 55% total solids (sec's)	1.00
Volatile fatty acid no.	0.018
Odor of latex	sweet
Color of latex	white
Color of film	normal