

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 1

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

### 1. Identification of the Substance/Mixture and of the Company/Undertaking

#### 1.1. Product Identifier

*Product Name:* Kremer Color Paste - Iron Oxide Black  
*Article No.:* 27500  
*UFI:* --

#### 1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

*Identified uses:*  
Coatings and paints, thinner, filling compound  
Filler  
Paper products

*Uses advised against:*

#### 1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

*Company:* Kremer Pigmente GmbH & Co. KG  
*Address:* Hauptstr. 41-47, 88317 Aichstetten, Germany  
*Tel./Fax.:* Tel +49 7565 914480, Fax +49 7565 1606  
*Internet:* www.kremer-pigmente.com  
*E-Mail:* info@kremer-pigmente.com  
*Importer:* --

#### 1.4. Emergency No.

*Emergency No.:* +49 7565 914480 (Mon-Fri 8:00 - 17:00)

#### 1.4.2 Poison Center:

### 2. Hazards Identification

#### 2.1. Classification of the Substance or Mixture

*Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

*This product does not require classification and labelling as hazardous according to CLP/GHS.*

*Possible Environmental Effects:*

*See Section 12.*

#### 2.2. Label Elements

*Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)*

*This product does not require classification and labelling as hazardous according to CLP/GHS.*

*Hazard designation:*

*Not applicable.*

*Signal word:*

*Hazard designation:*

*Safety designation:*

*Hazardous components for labelling:*

next page: 2

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 2

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

### 2.3. Other Hazards

*EUH208: contains 1,2-Benzisothiazol-3(2H)-one. Can cause allergic reactions.*

---

### 3. Composition/Information on Ingredients

#### 3.1. Substance

#### 3.2. Mixture

*Chemical Characterization: Iron oxide black pigment suspension. Contains Pigment Black 11, C.I. 77499*

*Information on Components / Hazardous Ingredients:*

*Additional information:*

---

### 4. First Aid Measures

#### 4.1. Description of the First Aid Measures

*General information:*

*Seek medical attention in case of complaints.*

*After inhalation:*

*Supply fresh air and seek medical advice in case of complaints.*

*After skin contact:*

*Remove contaminated clothing. Wash off immediately with plenty of water and soap.*

*After eye contact:*

*Rinse open eyes with plenty of water for at least 15 minutes. Consult physician.*

*After ingestion:*

*Do not induce vomiting.  
Rinse mouth thoroughly with plenty of water and drink plenty of water. Consult a physician.*

#### 4.2. Most important Symptoms and Effects, both Acute and Delayed

*Symptoms:*

*No further information available.*

*Effects:*

*No further information available.*

#### 4.3. Indication of any Immediate Medical Attention and special Treatment needed

*Treatment:*

*No information available.*

---

### 5. Fire-Fighting Measures

#### 5.1. Extinguishing Media

*Suitable extinguishing media:*

*Water mist, extinguishing powder, foam, carbon dioxide.*

*Unsuitable extinguishing media:*

*Water with full jet.*

next page: 3

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 3

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

### 5.2. Special Hazards arising from the Substance or Mixture

*Special hazards:*

*In case of fire: formation of carbon oxides, nitrogen oxides.*

### 5.3. Advice for Firefighters

*Protective equipment:*

*Wear self-contained respiratory protective device.*

*Further information:*

*Avoid contamination of sewage system, open water ways and ground water.*

---

## 6. Accidental Release Measures

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

*Personal precautions:*

*Wear protective clothing.*

### 6.2. Environmental Precautions

*Environmental precautions:*

*Prevent contamination of soil, drains and surface waters.*

### 6.3. Methods and Material for Containment and Cleaning Up

*Methods and material:*

*Contain with absorbent material (sand, earth, vermiculite or diatomaceous earth) and collect in appropriate containers for disposal.*

### 6.4. Reference to other Sections

*Protective clothing, see Section 8.*

---

## 7. Handling and Storage

### 7.1. Precautions for Safe Handling

*Instructions on safe handling:*

*No special measures necessary if properly handled.  
Avoid contact with skin.*

*Hygienic measures:*

*Wash hands with soap and water.*

### 7.2. Conditions for Safe Storage, including any Incompatibilities

*Storage conditions:*

*Storage temperature: 5 - 50°C*

*Requirements for storage areas and containers:*

*No special measures necessary.*

*Information on fire and explosion protection:*

*Take measures to prevent electrostatic discharge.*

*Storage class:*

*12; Non-combustible liquids (TRGS 510)*

*Further Information:*

next page: 4

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 4

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

### 7.3. Specific End Use(s)

*Further information:*

*No information available.*

## 8. Exposure Controls/Personal Protection

### 8.1. Parameters to be Controlled

*Parameters to be controlled (DE):*

TRGS 900

Polyethylene glycol (PEG) (CAS 25322-68-3), TLV: 200 mg/m<sup>3</sup> (inhalable fraction, 2 (II)); 1000 mg/m<sup>3</sup> (inhalable fraction, 8(II))  
3-Iodo-2-propinyl butylcarbamate (55406-53-6): TWA: 0.058 mg/m<sup>3</sup>, 0.005 ppm (8h, long-term value); 0.116 mg/m<sup>3</sup>, 0.01 ppm (15 min, short-term value)

*Parameters to be controlled:*

*Derived No-Effect Level (DNEL):*

*Predicted No-Effect Concentration (PNEC):*

*Additional Information:*

### 8.2. Exposure Controls

*Technical protective measures:*

*Personal Protection*

*General protective measures:*

*The usual precautionary measures are to be adhered to when handling chemicals.*

*Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.*

*Respiratory protection:*

*None required under normal operating conditions. Avoid inhalation of vapors/fumes.*

*Hand protection:*

*Protective gloves (EN 374)*

*Protective glove material:*

*Recommended: Protective index 6, corresponding > 480 min. of permeation time according to EN 374.*

*Nitrile rubber (480 min, 0.4 mm)*

*Eye protection:*

*Safety glasses (EN 166)*

*Body protection:*

*Environmental precautions:*

## 9. Physical and Chemical Properties

### 9.1. Information on Basic Physical and Chemical Properties

*Form:* liquid

*Color:* black

next page: 5

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 5

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

|   |                               |
|---|-------------------------------|
| Odor:                                       | odorless                      |
| Odor threshold:                             | no information available      |
| pH-Value:                                   | 7 - 9.5                       |
| Melting temperature:                        | not applicable                |
| Boiling temperature:                        | > 100°C (1013 hPa)            |
| Flash point:                                | > 100°C                       |
| Evaporation rate:                           | not applicable                |
| Flammability (solid, gas):                  | not applicable                |
| Upper explosion limit:                      | no information available      |
| Lower explosion limit:                      | no information available      |
| Vapor pressure:                             | not applicable                |
| Vapor density:                              | No information available.     |
| Density:                                    | 2.04 g/cm <sup>3</sup> (20°C) |
| Solubility in water:                        | soluble                       |
| Coefficient of variation (n-Octanol/Water): | no information available      |
| Auto-ignition temperature:                  | No information available.     |
| Decomposition temperature:                  | not determined                |
| Viscosity, dynamic:                         | not available                 |
| Explosive properties:                       | not available                 |
| Oxidizing properties:                       | no information available      |
| Bulk density:                               | not applicable                |

### 9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

next page: 6

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 6

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

*Burning class:*

*Solvent content:*

*Solid content:*

*Particle size:*

*Other information:*

*Flow time: < 90 s (20°C, DIN-cup 4 mm)*

---

### 10. Stability and Reactivity

#### 10.1. Reactivity

*No information available.*

#### 10.2. Chemical Stability

*Stable if used according to specifications.*

#### 10.3. Possibility of Hazardous Reactions

*No information available.*

#### 10.4. Conditions to Avoid

*Conditions to avoid:*

*Protect from heat.*

*Thermal decomposition:*

*Avoid heat.*

#### 10.5. Incompatible Materials

*No information available.*

#### 10.6. Hazardous Decomposition Products

*In case of fire or high temperatures: formation of carbon and nitrogen oxides, and other fumes.*

#### 10.7. Further Information

---

### 11. Toxicological Information

#### 11. 1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

*Acute Toxicity*

*LD50, oral:*

*No information available*

*LD50, dermal:*

*No information available.*

*LC50, inhalation:*

*No information available.*

*Primary effects*

*Irritant effect on skin:*

*No information available*

*Irritant effect on eyes:*

*No information available.*

*Inhalation:*

*No information available.*

next page: 7

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 7

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

*Ingestion:*

*No information available*

*Sensitization:*

*No relevant data found.*

*Mutagenicity:*

*No relevant data found.*

*Reproductive toxicity:*

*No relevant data found.*

*Carcinogenicity:*

*No relevant data found.*

*Teratogenicity:*

*No information available.*

*Specific target organ toxicity (STOT):*

*No relevant data found.*

*Aspiration hazard:*

### 11.2. Information on other Hazards

## 12. Ecological Information

### 12.1. Aquatic Toxicity

*No toxicity expected.*

*Fish toxicity:*

*Daphnia toxicity:*

*Bacteria toxicity:*

*Algae toxicity:*

### 12.2. Persistency and Degradability

*No information available.*

### 12.3. Bioaccumulation

*No information available.*

### 12.4. Mobility

*No information available.*

### 12.5. Results of PBT- und vPvP Assessment

*Not applicable.*

### 12.6. Endocrine Disrupting Properties

### 12.7. Other Adverse Effects

*Water hazard class:*

*1 (German Regulation) (Assessment by list): slightly hazardous.*

*Behaviour in sewage systems:*

*Further ecological effects:*

*AOX Value:*

## 13. Disposal Considerations

next page: 8

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 8

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

### 13.1. Waste Treatment Methods

*Product:*

*Dispose of according to official national and local regulations.  
Do not let product enter water systems.*

*European Waste Code (EWC):*

*080112 - Wastes from the manufacture, formulation, supply and use (MFSU) of coatings (paints, varnishes and vitreous enamels), sealants and printing inks.*

*Uncleaned packaging:*

*Contaminated packaging must be disposed like the substance.*

*Waste Code No.:*

---

### 14. Transport Information

#### 14.1. UN Number

*ADR, IMDG, IATA*

#### 14.2. UN Proper Shipping Name

*ADR/RID:*

*No hazardous goods according to ADR / DOT (US) (land transportation).*

*IMDG/IATA:*

*Not hazardous goods*

#### 14.3. Transport Hazard Classes

*ADR Class:*

*not applicable*

*Hazard no.:*

*Classification code:*

*Tunnel restriction code:*

*IMDG Class (sea):*

*Hazard no.:*

*EmS No.:*

*IATA Class:*

*not applicable*

*Hazard no.:*

#### 14.4. Packaging Group

*ADR/RID:*

*not applicable*

*IMDG:*

*IATA:*

#### 14.5. Environmental Hazards

*None*

next page: 9

# Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



## 27500 Kremer Color Paste - Iron Oxide Black

Page 9

Revised edition: 08.03.2019

Version: 12

Printed: 06.09.2024

---

### 14.6. Special Precautions for User

*Not classified as a dangerous good under transport regulations.*

### 14.7. Maritime Transport in Bulk according to IMO Instruments

*not applicable*

### 14.8. Further Information

---

## 15. Regulatory Information

### 15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

*Water hazard class:*

*1, slightly hazardous for water (according to the German Regulation AwSV)*

*Local regulations on chemical accidents:*

*Employment restrictions:*

*Restriction and prohibition of application:*

*Technical instructions on air quality:*

*5.2.5. (Classification I): < 5 %*

### 15.2. Chemical Safety Assessment

*A Chemical Safety Assessment is not necessary for this product.*

### 15.3. Further Information

---

## 16. Other Information

*This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.*