

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 1

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Kremer Color Paste - Phthalo Blue, PB 15:3

Article No.: 28900

UFI: --

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Coloring agent for industrial purposes

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

E-Mail: info@kremer-pigmente.com

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

EUH208

May produce an allergic reaction.

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

Contains a mixture of 5-Chloro-2-methylisothiazolin-3(2H)-one (EG next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 2

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

247-500-7) and 2-Methylisothiazol-3(2H)-one (EG 220-239-6)
(3:1): can cause allergic reactions.

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

Chemical Characterization: Phthalocyanine copper complex-pigment suspension, containing C.I. Pigment Blue 15:3

Information on Components / Hazardous Ingredients:

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega-(2-aminomethylathoxy)-ether 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1)	1 - 10 %	CAS-Nr: 39423-51-3 EINECS-Nr: EC-Nr:
--	----------	--

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1) (H301-310-314-317-318-330-400-H410); Spec. conc. limits: H314 >= 0.6%, H315 0.06 - <0.6%, H319 0.06 - <0.6%, H317 >= 0.0015%, H318 >= 0.6%; REACH Reg. No. 01-2120764691-48	0.0002-0.0015 %	CAS-Nr: 55965-84-9 EINECS-Nr: EC-Nr: 613-167-00-5
---	-----------------	---

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

*Seek medical attention in case of complaints.
Take person away from hazardous area.
Do not leave affected person unattended.*

After inhalation:

Supply fresh air. Consult physician if symptoms persist.

After skin contact:

Remove contaminated clothing immediately. Wash off immediately with plenty of water and soap.

After eye contact:

*Rinse open eyes with plenty of water. In case of discomfort seek medical help.
Remove contact lens.*

After ingestion:

*Rinse mouth thoroughly with plenty of water and drink plenty of water. Consult a physician.
Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician.
Never give anything by mouth to an unconscious person.
Never give anything by mouth to an unconscious person. If*

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 3

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as collar, tie, belt or waistband.

If symptoms persist, call a physician.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Water mist, extinguishing powder, foam, carbon dioxide.

Unsuitable extinguishing media:

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

The container may burst when heated or in case of fire.

In case of fire: formation of carbon oxides, nitrogen oxides, metal oxides, oxides.

5.3. Advice for Firefighters

Protective equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Further information:

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear appropriate protective equipment. Keep spectators away.

Do not inhale aerosol/fumes/vapors.

Ensure adequate ventilation.

Floor may be slippery; use care to avoid falling.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soils, drains and surface water.

Contact local authorities if product pollutes soil or vegetation.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with absorbent material (e.g. sand, acid binder, universal binder, sawdust) and collect in appropriate containers for disposal.

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 4

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

6.4. Reference to other Sections

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Wear adequate protective clothing (see para. 8).

Avoid contact with eyes, skin and clothing.

Do not breathe vapors, aerosols.

Hygienic measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Wash hands before breaks and after work.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Protect product from direct sunlight.

Do not store together with food stuff and animal feed.

Requirements for storage areas and containers:

Store the product in the original container.

Information on fire and explosion protection:

Follow the usual measures for preventive fire protection.

Storage class:

12; Non-combustible liquids (TRGS 510)

Further Information:

Do not store together with incompatible materials (see Section 10)

When handling bulk ware: protect against cold at -5°C.

In case the product is exposed to cold temperature and thickens resp. freezes, thaw slowly at room temperature, stir it. Product can be used afterwards.

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

Polyethylene glycol (PEG) (CAS 25322-68-3), TLV: 200 mg/m³ (inhalable fraction, 2 (II)); 1000 mg/m³ (inhalable fraction, 8(II))

Top limit: 8 (II)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

*29H, 31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper:
4 mg/m³ (worker, inhalation, long-term exposure - systemic*

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 5

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

effects)

450 mg/kg bw/day (worker, skin contact, long-term exposure - systemic effects)

225 mg/kg bw/day (consumer, skin contact, long-term exposure - systemic effects)

45 mg/kg bw/day (consumer, swallowing, long-term exposure - systemic effects)

Predicted No-Effect Concentration (PNEC):

29H, 31H-phthalocyaninato(2-)-N29,N30,N31,N32 copper:

Fresh water sediment: 10 mg/kg dw

Sea water sediment: 1 mg/kg dw

Soil: 1 mg/kg dw

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Provide adequate ventilation.

Facilities storing or utilizing this material should be equipped with an eyewash and shower facility.

Personal Protection

General protective measures:

Avoid contact with skin and avoid inhalation of vapour. Do not eat, drink or smoke while working.

Remove contaminated clothing. Wash hands after work.

Respiratory protection:

In case of formation of dust/vapor.

Hand protection:

Protective gloves

Protective glove material:

Nitrile rubber (NBR), polyvinyl chloride (PVC) (< 60 min)

Polychloropren (CR) (< 60 min)

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: liquid

Color: blue

Odor: mild

Odor threshold:

no information available

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 6

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

<i>pH-Value:</i>	6 - 8 Concentration: 45 %
<i>Melting temperature:</i>	not determined
<i>Boiling temperature:</i>	> 100°C
<i>Flash point:</i>	>100°C
<i>Evaporation rate:</i>	No information available.
<i>Flammability (solid, gas):</i>	not applicable
<i>Upper explosion limit:</i>	no information available
<i>Lower explosion limit:</i>	no information available
<i>Vapor pressure:</i>	not determined
<i>Vapor density:</i>	This product is a non-volatile solid.
<i>Density:</i>	1.2 g/cm ³ (20°C)
<i>Solubility in water:</i>	No data available
<i>Auto-ignition temperature:</i>	not applicable
<i>Decomposition temperature:</i>	not determined
<i>Viscosity, dynamic:</i>	< 1000 mPa.s (20°C)
<i>Explosive properties:</i>	not applicable
<i>Oxidizing properties:</i>	
<i>Bulk density:</i>	not determined

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 7

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

None if handled and stored according to specifications.

10.4. Conditions to Avoid

Conditions to avoid:

No information available.

Thermal decomposition:

10.5. Incompatible Materials

Strong acids and strong bases

Strong oxidizing agents.

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

Acute Toxicity

LD50, oral:

> 5000 mg/kg (rat; OECD 401)

Reaction compound of 5-Chloro-2-methyl-2H-isothiazol-3-one (EC 247-500-7) and 2-Methyl-2H-isothiazol-3-one (EC 220-239-6) (3:1): 100 mg/kg (rat)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: > 2000 mg/kg (rat, f; OECD 423)

LD50, dermal:

> 5000 mg/kg (rat; OECD 402)

Reaction compound of: 5-Chloro-2-methyl-2H-isothiazol-3-one (EC 247-500-7) and 2-Methyl-2H-isothiazol-3-one (EC 220-239-6) (3:1): 50 mg/kg (rat)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: > 2000 mg/kg (rat, m/w; OECD 402)

LC50, inhalation:

Reaction compound of: 5-Chloro-2-methyl-2H-isothiazol-3-one and 2-Methyl-2H-isothiazol-3-one (3:1): 0.31 mg/l (4h, rat)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: 2515 mg/m³ (6h, rat, f)

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 404)

Reactions compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): causes chemical burns

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: no irritant effect (rabbit; OECD 404)

Irritant effect on eyes:

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 8

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

	<p><i>Non-irritating to eyes (rabbit; OECD 405)</i></p> <p><i>Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): risk of severe eye damage.</i></p> <p><i>Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: no irritating effect (OECD 405)</i></p>
<i>Inhalation:</i>	<p><i>No information available.</i></p>
<i>Ingestion:</i>	<p><i>No information available</i></p>
<i>Sensitization:</i>	<p><i>Non sensitizing (OECD 429, Mouse Local Lymph Node Assay (LLNA))</i></p> <p><i>Non sensitizing (guinea pig; OECD 406).</i></p> <p><i>Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): may cause sensitization by skin contact (guinea pig; OECD 406)</i></p> <p><i>Sensitizing (OECD 429, Mouse Local Lymph Node Assay (LLNA))</i></p> <p><i>Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: no sensitization caused (guinea pig; OECD 406)</i></p>
<i>Mutagenicity:</i>	<p><i>In vitro genetic-toxicity: Ames-Test negative (OECD 471)</i></p> <p><i>In vitro genetic toxicity: negative (DNS Synthesis in Mammalian Cells; OECD 482)</i></p> <p><i>In vivo genetic-toxicity: Gene mutation test: negative (mouse, m/w, intraperitoneal; OECD 484)</i></p> <p><i>Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega:</i></p> <p><i>In vitro genetic-toxicity:</i></p> <p><i>Ames-Test negative (Salmonella typhimurium; OECD 471)</i></p> <p><i>In vitro genetic toxicity: Mammalian Cell Test (ovaries of the chinese hamster, OECD 476): negative</i></p>
<i>Reproductive toxicity:</i>	<p><i>Effect on fertility:</i></p> <p><i>Reproductive and Developmental Study: NOAEL Parents: 1000 mg/kg; NOAEL F1: 1000 mg/kg; NOAEL Early embryonic development: 1000 mg/kg (Application: Oral, rat (m/w); Dosage: 40 - 200 - 1000 mg/kg; OECD 421); Result: Did not show any effects on the fertility and the early stage of embryonic development</i></p> <p><i>Effects on the development of the unborn child:</i></p> <p><i>General toxicity in mothers: NOAEL: 1000 mg/kg; Developmental toxicity: NOAEL: 1000 mg/kg (prenatal, oral, rat; dosage: 250, 500, 750, 1000, 2000 mg/kg; OECD 421): Result: No teratogenic potential.</i></p> <p><i>Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega:</i></p> <p><i>Effect on fertility:</i></p> <p><i>Did not show any effects on the fertility and the early stage of embryonic development (oral, rat m/f; OECD 421)</i></p>
<i>Carcinogenicity:</i>	<p><i>No relevant data found.</i></p>

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 9

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

Single exposure: no information available.

Repeated exposure: Subacute toxicity (oral): NOAEL: 1000 mg/kg (28d, once daily; Dosage: 40 - 200 - 1000 mg/kg, rat, m/f); ;
Subchronic toxicity (oral): NOAEL: 4500 mg/kg (90d, daily; Dosage: 250-500-1100-2200-4500 mg/kg, rat, m/f; OECD 408)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: NOAEL: 8000 mg/kg, LOAEL: 16000 mg/kg (90d, rat m/f, oral, daily 2000-24000 mg/kg bw/d)

Aspiration hazard:

Not applicable

11.2. Information on other Hazards

Endocrine Disrupting Properties:

This substance/mixture does not contain any components with endocrine disrupting properties in a percentage of 0.1 or greater, according to Article 57(f) of the REACH Regulation (EC) No. 1907/2006 or the Delegated Regulation (EC) 2017/2100 or the Delegated Regulation (EC) 2018/605.

12. Ecological Information

12.1. Aquatic Toxicity

Fish toxicity:

LC50: > 100 mg/l (96h, *Danio rerio*; OECD 203)

Reaction mass of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): LC50: 0.58 mg/l (96h, *Danio rerio*)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: LC50: > 100 mg/l (96h, *Poecilia reticulata*; OECD 203)

Daphnia toxicity:

EC50: > 500 mg/l (48h, *Daphnia magna*; EC Regulation 440/2008)

NOEC: > 1 mg/l (21d, *Daphnia magna*; OECD 211)

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): EC50: 1.02 mg/l (48h, *Daphnia magna*)

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: EC50: > 100 mg/l (*Daphnia magna*; OECD 202)

Bacteria toxicity:

EC50: > 10000 mg/l (0.5h, *Pseudomonas putida*)

Algae toxicity:

ErC50: > 100 mg/l (72h, *Desmodesmus subspicatus*; OECD 201)

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): EC50: 0.379 mg/l (72h, *Pseudokirchneriella subcapitata*); EC10: 0.188 mg/l (72h, *Pseudokirchneriella subcapitata*; OECD 201)

M-Factor (Acute): 100

M-Factor (Chronic): 100

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: ErC50: >

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 10

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

100 mg/l (*Desmodesmus subspicatus*); NOEC: 56,02 mg/l (*Desmodesmus subspicatus*)

12.2. Persistency and Degradability

Not readily biodegradable (5 %, 28d, 100 mg/l, active sludge; OECD 301C)

Not readily biodegradable (< 1 %, 28d, 107 mg/l, active sludge; OECD 301F)

Reaction mass of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1): Not readily biodegradable.

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: > 70 %; readily biodegradable (28d, active sludge; OECD 301D)

12.3. Bioaccumulation

Poly(oxy)(methyl-1,2-ethanedyl), alpha-hydro-omega: log Pow: 2.29

12.4. Mobility

No information available.

12.5. Results of PBT- und vPvP Assessment

On the basis of available data, the product does not contain any PBT or vPvB substances in percentage greater than 0.1 %.

12.6. Endocrine Disrupting Properties

This substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated Regulation (EU) No. 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1 % or higher.

12.7. Other Adverse Effects

Water hazard class:

2 (German Regulation) (Assessment by list): hazardous.

Behaviour in sewage systems:

Further ecological effects:

The product contains copper bound as a complex.

Product does not contain nitrogen, phosphates or phosphor-organic compounds.

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

Disposal should be avoided or minimized.

In accordance with current regulations, product may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

Avoid the contamination of drains, watercourses or the soil. To not contaminate ponds, waterways or ditches with chemicals or used container.

European Waste Code (EWC):

Uncleaned packaging:

Empty containers should be taken to an approved waste handling next page: 11

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 11

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

site for recycling or disposal.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR / DOT (US) (land transportation).

IMDG/IATA:

Not hazardous goods

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

not applicable

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Maritime Transport in Bulk according to IMO Instruments

14.8. Further Information

Do not store together with foodstuffs.

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

next page: 12

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



28900 Kremer Color Paste - Phthalo Blue, PB 15:3

Page 12

Revised edition: 07.02.2023

Version: 2

Printed: 23.06.2023

2, hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Seveso III Directive: not applicable under Directive 2012/18/EC.

Employment restrictions:

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: not applicable

Technical instructions on air quality:

15.2. Chemical Safety Assessment

*A Chemical Safety Assessment is not necessary for this product.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59): not applicable*

15.3. Further Information

International Chemical Weapons Convention (CWC), list of the toxic chemicals and toxic chemical precursors: not forbidden and/or restricted

Regulation (EU) 2019/1021 - Persistent organic pollutants: not regulated / not applicable

Regulation (EC) 1005/2009 - Substances that Deplete the Ozone Layer: not regulated / not applicable

Regulation (EC) 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors: not forbidden and/or not restricted

Regulation (EC) 649/2012 concerning the export and import of dangerous chemicals: Not applicable

EC. REACH, Annex XIV, Candidate List of Substances of very High Concern (SVHC): not regulated / not applicable

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.