

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 1

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Kremer Color Paste - Daylight Fluorescent Yellow
Article No.: 29200
UFI: --

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Industrial colorant

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG
Address: Hauptstr. 41-47, 88317 Aichstetten, Germany
Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606
Internet: www.kremer-pigmente.com
EMail: info@kremer-pigmente.com
Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Signal word:

Hazard designation:

EUH208

May produce an allergic reaction.

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

Contains formaldehyde: can cause allergic reactions.

Composition/Information on Ingredients

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 2

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

3.

3.1. Substance

3.2. Mixture

Chemical Characterization: Dispersion of fluorescent pigment in aqueous media containing dispersing agents and humectants.

Information on Components / Hazardous Ingredients:

Ethane-1,2-diol (H302-373), REACH Reg. No. 01-2119456816-28-xxxx < 10 %

CAS-Nr: 107-21-1
EINECS-Nr: 203-473-3
EC-Nr: 603-027-00-1

Ammonia solution (H314-318-332-335-400(M=1)-411); REACH Reg. No. 01-2119488876-14 < 0.75 %

CAS-Nr: 1336-21-6
EINECS-Nr: 215-647-6
EC-Nr: 007-001-01-2

Formaldehyde (Carc. 1B; H301-311-314-317-331-341-350); REACH Reg. No. 01-2119488953-20-xxxx < 0.06 %

CAS-Nr: 50-00-0
EINECS-Nr: 200-001-8
EC-Nr: 605-001-00-5

1,2-Benzisothiazol-3(2H)-one (H302-315-317-318-400 (M=1)-411); Spec. conc. limits: H317 >= 0.05 %; REACH Reg. No. 01-2120761540-60 < 0.05 %

CAS-Nr: 2634-33-5
EINECS-Nr: 220-120-9
EC-Nr: 613-088-00-6

2-Methyl-2H-isothiazol-3-one (H301-311-314-317-330-400-410); Spec. Conc. limit: H317: C> 0.0015%; REACH Reg. No. 01-2120764690-50 < 0.0015 %

CAS-Nr: 2682-20-4
EINECS-Nr: 220-239-6
EC-Nr:

2-Octyl-2H-isothiazol-3-one (H330-301-311-314-318-317-400-410); REACH Reg. No. 01-2120768921-45-xxxx < 0.0015 %

CAS-Nr: 26530-20-1
EINECS-Nr: 247-761-7
EC-Nr: 613-112-00-5

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1) (H301-310-314-317-318-330-400-H410); Spec. conc. limits: H314 >= 0.6%, H315 0.06 - <0.6%, H319 0.06 - <0.6%, H317 >= 0.0015%, H318 >= 0.6%; REACH Reg. No. 01-2120764691-48 < 0.0015 %

CAS-Nr: 55965-84-9
EINECS-Nr:
EC-Nr: 613-167-00-5

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

No special measures required.

After inhalation:

Take affected person to fresh air.

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 3

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

After skin contact:

Wash off with plenty of water and soap.

After eye contact:

*Rinse open eyes with plenty of water for at least 15 minutes.
Consult physician.*

After ingestion:

*Rinse mouth thoroughly with plenty of water and drink plenty of water. Consult a physician.
Do not induce vomiting.*

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

No information available.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO₂), extinguishing powder, water spray.

Unsuitable extinguishing media:

None known.

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of irritating gases/vapors.

5.3. Advice for Firefighters

Protective equipment:

No special measures required.

Further information:

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

6.2. Environmental Precautions

Environmental precautions:

Contact local authorities if product pollutes soil or vegetation.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with absorbent material (sand, earth, vermiculite or diatomaceous earth) and collect in appropriate containers for disposal.

Rinse with lots of water.

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 4

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

6.4. Reference to other Sections

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation.

Wear adequate protective clothing (see para. 8).

Avoid contact with eyes and skin.

Hygienic measures:

Keep away from foodstuffs and drinks.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and well ventilated location.

Requirements for storage areas and containers:

Keep container tightly closed.

Information on fire and explosion protection:

No special measures necessary.

Storage class:

Further Information:

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

Formaldehyde (CAS 50-00-0), TWA: 0.3 ppm, 0.37 mg/m³; 2 (I)

Parameters to be controlled:

Formaldehyde (CAS 50-00-0); TWA, STEL: GB (EH40): 2 ppm, 2.5 mg/m³; FR (VLEP): 0.5 ppm, 1 ppm; NL (MAC): 0.15 ppm, 0.5 mg/m³

Derived No-Effect Level (DNEL):

Formaldehyde (50-00-0):

240 mg/kg bw/d (worker, skin contact, long-term exposition - systemic effects)

9 mg/m³ (worker, inhalation, long-term exposition - systemic effects)

0.375 mg/m³ (worker, inhalation, long-term exposition - local effects)

0.75 mg/m³ (worker, inhalation, short-term exposition - local effects)

Ethylene glycol (107-21-1):

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 5

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

106 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)
35 mg/m³ (worker, inhalation, long-term exposure - local effects)
1,2-Benzisothiazol-3(2H)-one (2634-33-5):
6.81 mg/m³ (worker, inhalation, long-term exposure - systemic effects)
0.966 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)
1.2 mg/m³ (consumer, inhalation, long-term exposure - systemic effects)
0.345 mg/kg bw/d (consumer, skin contact, long-term exposure - systemic effects)
Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1):
0.04 mg/m³ (worker/consumer, inhalation, short-term exposition - local effects)
0.02 mg/m³ (worker/consumer, inhalation, long-term exposition - local effects)

PNEC (Predicted No-Effect Concentration):

Formaldehyde (50-00-0):
Fresh water/Sea water: 0.44 mg/l
Fresh water sediment: 2.3 mg/kg
Intermittent release: 4.44 mg/l
Sewage treatment system (STP): 0.19 mg/l
Soil: 0.2 mg/kg
Ethylene glycol (CAS 107-21-1):
Fresh water: 10 mg/l
Sea water: 1 mg/l
Fresh water sediment: 20.9 mg/kg
Intermittent release: 10 mg/l
Sewage treatment system (STP): 199.5 mg/l
Soil: 1.53 mg/kg
1,2-Benzisothiazol-3(2H)-one (2634-33-5):
Fresh water: 4.03 µg/l
Sea water: 0.403 µg/l
Fresh water sediment: 49.9 µg/kg
Sewage treatment system (STP): 1.03 mg/l
Soil: 3 mg/kg
2-Methyl-2H-isothiazol-3-one (2682-20-4):
Fresh water / Sea water: 3.39 µg/l
Sea water: 0.22 µg/l
Soil: 0.047 mg/kg
Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1):
Fresh water / Sea water: 3.39 µg/l
Fresh water sediment / Sea water sediment: 0.027 mg/kg
Sewage treatment system (STP): 0.23 µg/l
Soil: 0.01 mg/kg
2-Octyl-2H-isothiazol-3-one (26530-20-1):

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 6

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

Fresh water: 2.2 µg/l
Sea water: 0.22 µg/l
Fresh water sediment: 47.5 µg/kg
Sea water sediment: 4.75 µg/kg
Soil: 8.2 µg/kg

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Provide adequate ventilation/exhaust system.

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Required in case of insufficient ventilation.
Recommended: filter FP 3

Hand protection:

Protective gloves (EN 374)

Protective glove material:

The glove material must be sufficiently impermeable and resistant against the product.

Eye protection:

Safety glasses (EN 166)

Body protection:

Protective clothing.
Boots.

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: liquid
Color: yellow
Odor: odorless
Odor threshold: no information available
pH-Value: 8 - 10
Melting temperature: 0°C
Boiling temperature: 100°C
Flash point: not available

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 7

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

Evaporation rate:

not applicable

Flammability (solid, gas):

not applicable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not applicable

Vapor density:

No information available.

Density:

not applicable

Solubility in water:

miscible

Coefficient of variation (n-Octanol/Water):

no information available

Auto-ignition temperature:

not applicable

Decomposition temperature:

not applicable

Viscosity, dynamic:

not available

Explosive properties:

not available

Oxidizing properties:

not oxidizing

Bulk density:

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

No further information.

10. Stability and Reactivity

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 8

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

10.1.	Reactivity	<i>Chemically stable.</i>
10.2.	Chemical Stability	<i>Stable if used according to specifications.</i>
10.3.	Possibility of Hazardous Reactions	<i>Unknown.</i>
10.4.	Conditions to Avoid	<i>Conditions to avoid: Thermal decomposition: No data available.</i>
10.5.	Incompatible Materials	<i>None known.</i>
10.6.	Hazardous Decomposition Products	<i>Irritating fumes/vapors.</i>
10.7.	Further Information	

11.	Toxicological Information	
11.1.	Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008	
	<i>Acute Toxicity</i>	
	<i>LD50, oral:</i>	<i>> 2000 mg/kg (ATE)</i>
	<i>LD50, dermal:</i>	<i>No information available.</i>
	<i>LC50, inhalation:</i>	<i>No information available.</i>
	<i>Primary effects</i>	
	<i>Irritant effect on skin:</i>	<i>No information available</i>
	<i>Irritant effect on eyes:</i>	<i>No information available.</i>
	<i>Inhalation:</i>	<i>No information available.</i>
	<i>Ingestion:</i>	<i>No information available</i>
	<i>Sensitization:</i>	<i>No relevant data found.</i>
	<i>Mutagenicity:</i>	<i>No relevant data found.</i>
	<i>Reproductive toxicity:</i>	<i>No relevant data found.</i>
	<i>Carcinogenicity:</i>	<i>No relevant data found.</i>

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 9

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

Repeated exposure: no toxicological effects.

Single exposure: may cause respiratory irritation.

Aspiration hazard:

No risk of aspiration.

11. 2. Information on other Hazards

No further information available.

12. Ecological Information

12. 1. Aquatic Toxicity

Fish toxicity:

No data available.

Daphnia toxicity:

No information available.

Bacteria toxicity:

No data available.

Algae toxicity:

No information available.

12. 2. Persistency and Degradability

No information available.

12. 3. Bioaccumulation

No information available.

12. 4. Mobility

No information available.

12. 5. Results of PBT- und vPvP Assessment

On the basis of available data, the product does not contain any PBT or vPvB substances in percentage greater than 0.1 %.

12. 6. Endocrine Disrupting Properties

No data available.

12. 7. Other Adverse Effects

Water hazard class:

Do not let product contaminate ground water, waterways or sewage system.

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13. 1. Waste Treatment Methods

Product:

Dispose of according to official national and local regulations.

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 10

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

European Waste Code (EWC):

Uncleaned packaging:

Dispose of according to official local regulations.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR / DOT (US) (land transportation).

IMDG/IATA:

Not hazardous goods

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

not applicable

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

Not classified as environmentally hazardous.

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Maritime Transport in Bulk according to IMO Instruments

not applicable

14.8. Further Information

15. Regulatory Information

next page: 11

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29200 Kremer Color Paste - Daylight Fluorescent Yellow

Page 11

Revised edition: 10.12.2024

Version: 2

Printed: 13.12.2024

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation, self-assessment)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment is not necessary for this product.

15. 3. Further Information

All components of this product are listed under the European Inventory of Existing Chemical Substances (EINECS).

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.