

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 1

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Kremer Color Paste - Daylight Fluorescent Pink

Article No.: 29220

UFI: E500-C029-G00J-D11M

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Industrial colorant

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

EMail: info@kremer-pigmente.com

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Eye irritation, hazard category 2
Eye irritation, hazard category 2
Chronic aquatic toxicity, hazard category 3
H317 May cause an allergic skin reaction.
Cat.: 1
H319 Causes serious eye irritation.
Cat.: 2
H412 Harmful to aquatic life with long lasting effects.
Cat.: 3

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS07-1

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 2

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

Signal word:

Warning

Hazard designation:

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.
EUH208	May produce an allergic reaction.

Safety designation:

P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/ clothing/ eye/ face protection.
P302+P352	If on skin: Wash with soap and water.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses and continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical attention.
P337+P313	If eye irritation persists: Get medical advice/ attention.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/ container according to regional, national and international regulations.

Hazardous components for labelling:

2.3. Other Hazards

Contains formaldehyde: can cause allergic reactions.

3. Composition/Information on Ingredients

3.1. Substance

3.2. Mixture

Chemical Characterization: Dispersion of fluorescent pigment in aqueous media containing dispersing agents and humectants.

Information on Components / Hazardous Ingredients:

Ethane-1,2-diol (H302-373), REACH Reg. No. 01-2119456816-28-xxxx	< 10 %	CAS-Nr: 107-21-1 EINECS-Nr: 203-473-3 EC-Nr: 603-027-00-1
--	--------	---

C.I. Basic Red 1:1, Xanthene dye (302-317-318-H410); REACH Reg.-Nr. 01-2120107344-68	< 1 %	CAS-Nr: 3068-39-1 EINECS-Nr: 221-326-1 EC-Nr:
--	-------	---

C.I. Basic Violet 11 (H301-318-332-400-410); Reach Reg. No. 01-2120107345-66-xxxx	< 1 %	CAS-Nr: 2390-63-8 EINECS-Nr: 219-233-6 EC-Nr:
---	-------	---

Formaldehyde (Carc. 1B; H301-311-314-317-331-341-350); REACH Reg. No. 01-2119488953-20-xxxx	< 0.06 %	CAS-Nr: 50-00-0 EINECS-Nr: 200-001-8 EC-Nr: 605-001-00-5
---	----------	--

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 3

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

1,2-Benzisothiazol-3(2H)-one (H302-315-317-318-400 (M=1)-411); Spec. conc. limits: H317 >= 0.05 %; REACH Reg. No. 01-2120761540-60	< 0.05 %	CAS-Nr: 2634-33-5 EINECS-Nr: 220-120-9 EC-Nr: 613-088-00-6
--	----------	--

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one and 2-Methyl-2H-isothiazole-3-one (3:1) (H301-310-314-317-318-330-400-H410); Spec. conc. limits: H314 >= 0.6%, H315 0.06 - <0.6%, H319 0.06 - <0.6%, H317 >= 0.0015%, H318 >= 0.6%; REACH Reg. No. 01-2120764691-48	< 0.0015 %	CAS-Nr: 55965-84-9 EINECS-Nr: EC-Nr: 613-167-00-5
---	------------	---

2-Methyl-2H-isothiazol-3-one (H301-311-314-317-330-400-410); Spec. Conc. limit: H317: C> 0.0015%; REACH Reg. No. 01-2120764690-50	< 0.0015 %	CAS-Nr: 2682-20-4 EINECS-Nr: 220-239-6 EC-Nr:
---	------------	---

2-Octyl-2H-isothiazol-3-one (H330-301-311-314-318-317-400-410); REACH Reg. No. 01-2120768921-45-xxxx	< 0.0015 %	CAS-Nr: 26530-20-1 EINECS-Nr: 247-761-7 EC-Nr: 613-112-00-5
--	------------	---

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

No special measures required.

After inhalation:

Take affected person to fresh air.

After skin contact:

Wash off with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes. Consult physician.

After ingestion:

Rinse mouth thoroughly with plenty of water and drink plenty of water. Consult a physician.

Do not induce vomiting.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

No information available.

5. Fire-Fighting Measures

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 4

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

5.1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO₂), extinguishing powder, water spray.

Unsuitable extinguishing media:

None known.

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of irritating gases/vapors.

5.3. Advice for Firefighters

Protective equipment:

No special measures required.

Further information:

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

6.2. Environmental Precautions

Environmental precautions:

Contact local authorities if product pollutes soil or vegetation.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with absorbent material (sand, earth, vermiculite or diatomaceous earth) and collect in appropriate containers for disposal.

Rinse with lots of water.

6.4. Reference to other Sections

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation.

Wear adequate protective clothing (see para. 8).

Avoid contact with eyes and skin.

Hygienic measures:

Keep away from foodstuffs and drinks.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and well ventilated location.

Requirements for storage areas and

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 5

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

containers:

Keep container tightly closed.

Information on fire and explosion protection:

No special measures necessary.

Storage class:

Further Information:

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

Ethane-1,2-diol, CAS 107-21-1: TLV (D) 26 mg/m³; 10 ppm; 2(I); DFG, H, Y

Formaldehyde (CAS 50-00-0), TWA: 0.3 ppm, 0.37 mg/m³; 2 (I)

Parameters to be controlled:

Ethane-1,2-diol (CAS 107-21-1), TWA (GB, 8h): 52 mg/m³; 20 ppm; STEL (GB): 104 mg/m³; 40 ppm

Formaldehyde (CAS 50-00-0); TWA, STEL: GB (EH40): 2 ppm, 2.5 mg/m³; FR (VLEP): 0.5 ppm, 1 ppm; NL (MAC): 0.15 ppm, 0.5 mg/m³

Derived No-Effect Level (DNEL):

Formaldehyde (50-00-0):

240 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)

9 mg/m³ (worker, inhalation, long-term exposure - systemic effects)

0.375 mg/m³ (worker, inhalation, long-term exposure - local effects)

106 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)

35 mg/m³ (worker, inhalation, long-term exposure - local effects)

1,2-Benzisothiazol-3(2H)-one (2634-33-5):

6.81 mg/m³ (worker, inhalation, long-term exposure - systemic effects)

0.966 mg/kg bw/d (worker, skin contact, long-term exposure - systemic effects)

1.2 mg/m³ (consumer, inhalation, long-term exposure - systemic effects)

0.345 mg/kg bw/d (consumer, skin contact, long-term exposure - systemic effects)

2-Methyl-2H-isothiazol-3-one (2682-20-4):

0.021 mg/m³ (worker/consumer, inhalation, long-term exposure - local effects)

0.043 mg/m³ (worker/consumer, inhalation, short-term exposure - local effects)

Reaction compound of 5-Chloro-2-methyl-2H-isothiazole-3-one

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 6

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

PNEC (Predicted No-Effect Concentration):

*and 2-Methyl-2H-isothiazole-3-one (3:1):
0.02 mg/m³ (worker/consumer, inhalation, long-term exposition - local effects)
0.04 mg/m³ (worker/consumer, inhalation, short-term exposition - local effects)*

*Ethylene glycol (CAS 107-21-1):
Formaldehyde (50-00-0):
Fresh water: 6.83 mg/l
Fresh water/Sea water: 0.44 mg/l
Fresh water sediment: 2.3 mg/kg
Seawater: 0.683 mg/l
Fresh water sediment: 37 mg/kg
Intermittent release: 4.44 mg/l
Sewage treatment system (STP): 0.19 mg/l
Ethylene glycol (CAS 107-21-1):
Soil: 1.53 mg/kg
Soil: 0.2 mg/kg
Sewage treatment system (STP): 199.5 mg/l
Ethylene glycol (CAS 107-21-1):
Intermittent release: 10 mg/l
Fresh water: 10 mg/l
Sea water: 1 mg/l
Fresh water sediment: 20.9 mg/kg
Intermittent release: 10 mg/l
Sewage treatment system (STP): 199.5 mg/l
Soil: 1.53 mg/kg
1,2-Benzisothiazol-3(2H)-one (2634-33-5):
Fresh water: 4.03 µg/l
Sea water: 0.403 µg/l
Fresh water sediment: 49.9 µg/kg
Sewage treatment system (STP): 1.03 mg/l
Soil: 3 mg/kg
2-Methyl-2H-isothiazol-3-one (2682-20-4):
Fresh water / Sea water: 3.39 µg/l
Sewage treatment system (STP): 0.23 µg/l
Soil: 0.047 mg/kg
2-Octyl-2H-isothiazol-3-one (26530-20-1):
Fresh water: 2.2 µg/l
Sea water: 0.22 µg/l
Fresh water sediment: 47.5 µg/kg
Sea water sediment: 4.75 µg/kg
Soil: 8.2 µg/kg*

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Provide adequate ventilation/exhaust system.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 7

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

*Required in case of insufficient ventilation.
Recommended: filter FP 3*

Hand protection:

Protective gloves (EN 374)

Protective glove material:

The glove material must be sufficiently impermeable and resistant against the product.

Eye protection:

Safety glasses (EN 166)

Body protection:

*Protective clothing.
Boots.*

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

<i>Form:</i>	<i>liquid</i>
<i>Color:</i>	<i>pink</i>
<i>Odor:</i>	<i>odorless</i>
<i>Odor threshold:</i>	<i>no information available</i>
<i>pH-Value:</i>	<i>8 - 10</i>
<i>Melting temperature:</i>	<i>0°C</i>
<i>Boiling temperature:</i>	<i>100°C</i>
<i>Flash point:</i>	<i>not applicable</i>
<i>Evaporation rate:</i>	<i>not applicable</i>
<i>Flammability (solid, gas):</i>	<i>not applicable</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 8

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

not applicable

Vapor density:

No information available.

Density:

not applicable

Solubility in water:

miscible

Coefficient of variation (n-Octanol/Water):

no information available

Auto-ignition temperature:

not applicable

Decomposition temperature:

not applicable

Viscosity, dynamic:

not available

Explosive properties:

not available

Oxidizing properties:

not oxidizing

Bulk density:

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

No further information.

10. Stability and Reactivity

10.1. Reactivity

Chemically stable.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Unknown.

10.4. Conditions to Avoid

Conditions to avoid:

Thermal decomposition:

No data available.

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 9

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

Irritating fumes/vapors.

10.7. Further Information

11. Toxicological Information

11.1. Information on Hazard Classes as defined in Regulation (EC) No. 1272/2008

Acute Toxicity

LD50, oral: > 5000 mg/kg (ATE)

LD50, dermal: No information available.

LC50, inhalation: No information available.

Primary effects

Irritant effect on skin: No information available

Irritant effect on eyes: No information available.

Inhalation: No information available.

Ingestion: No information available

Sensitization: No relevant data found.

Mutagenicity: No relevant data found.

Reproductive toxicity: No relevant data found.

Carcinogenicity: No relevant data found.

Teratogenicity: No information available.

Specific target organ toxicity (STOT): No relevant data found.

Aspiration hazard: Not applicable

11.2. Information on other Hazards

No further information available.

12. Ecological Information

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 10

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

12. 1. Aquatic Toxicity

Fish toxicity:

No data available.

Daphnia toxicity:

No information available.

Bacteria toxicity:

No data available.

Algae toxicity:

No information available.

12. 2. Persistency and Degradability

No information available.

12. 3. Bioaccumulation

No information available.

12. 4. Mobility

No information available.

12. 5. Results of PBT- und vPvP Assessment

On the basis of available data, the product does not contain any PBT or vPvB substances in percentage greater than 0.1 %.

12. 6. Endocrine Disrupting Properties

Not listed.

12. 7. Other Adverse Effects

Water hazard class:

Do not let product contaminate ground water, waterways or sewage system.

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13. 1. Waste Treatment Methods

Product:

Dispose of according to official national and local regulations.

European Waste Code (EWC):

Uncleaned packaging:

Dispose of according to official local regulations.

Waste Code No.:

14. Transport Information

14. 1. UN Number

ADR, IMDG, IATA

14. 2. UN Proper Shipping Name

ADR/RID:

next page: 11

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 11

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

No hazardous goods according to ADR / DOT (US) (land transportation).

IMDG/IATA:

Not hazardous goods

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

not applicable

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

Not classified as environmentally hazardous.

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Maritime Transport in Bulk according to IMO Instruments

not applicable

14.8. Further Information

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation, self-assessment)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15.2. Chemical Safety Assessment

next page: 12

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



29220 Kremer Color Paste - Daylight Fluorescent Pink

Page 12

Revised edition: 27.11.2024

Version: 2

Printed: 13.12.2024

A Chemical Safety Assessment has not been carried out for this product.

15.3. Further Information

All components of this product are listed under the European Inventory of Existing Chemical Substances (EINECS).

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.