

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 1

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Bristol Yellow, medium

Article No.: 43111

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:
Coloring agent for dye and varnish industry

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

E-Mail: info@kremer-pigmente.com

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

This product is capable of dust explosion under certain circumstances.

3. Composition/Information on Ingredients

Substance

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 2

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

3.1.

3.2. Mixture

Chemical Characterization: Blend of pigments

Information on Components / Hazardous Ingredients:

Zinc phosphate (H400-410)	3 - 4 %	CAS-Nr: 7779-90-0 EINECS-Nr: 231-944-3 EC-Nr: 030-011-00-6
---------------------------	---------	--

Fine dust of Bismuth vanadate pigments (Bismuth vanadium tetraoxide) (Xn, R48/20; STOT RE 2, H373)	< 1 %	CAS-Nr: --- EINECS-Nr: --- EC-Nr:
--	-------	---

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

Remove contaminated clothes.

After inhalation:

Supply fresh air and seek medical advice in case of complaints.

After skin contact:

Remove contaminated clothing. Wash off immediately with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water for at least 15 minutes. Consult physician.

After ingestion:

Rinse mouth thoroughly with plenty of water and drink plenty of water. Consult a physician.

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

None known.

Effects:

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Symptomatic treatment (decontamination, vital functions), no specific antidote known.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Extinguishing powder, foam.

Unsuitable extinguishing media:

Carbon dioxide (CO2)

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 3

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: hazardous vapors may be released. Development of fumes/aerosol.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with local regulations.

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Avoid formation of dust.

6.2. Environmental Precautions

Environmental precautions:

Keep spills and cleaning runoff out of municipal sewers and open bodies of water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Clean up mechanically. Transfer liquids and solid diking material to separate suitable containers for recovery or disposal.

Avoid dust formation.

6.4. Reference to other Sections

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Respiratory protection when handling without exhaust system.

Hygienic measures:

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Requirements for storage areas and containers:

Information on fire and explosion protection:

Avoid dust formation.

Take measures to prevent electrostatic discharge.

Storage class:

13; Non combustible solids (TRGS 510)

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 4

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

Further Information:

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

Fine dust of the bismuth vanadate pigments: 0.1 mg/m³ (BASF recommendation).

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Protective clothing recommended due to the coloring effects of the product.

Remove contaminated clothing. Wash hands after work.

Respiratory protection:

Suitable respiratory protection for lower concentration or short-term effect: particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, type P2 or FFP2).

Hand protection:

Chemical protective gloves (EN 374 (Europe), F739 (US)).

The manufacturer's directions for use should be observed because of the great diversity of types.

Protective glove material:

Recommended: Protective index 6, > 480 min. of permeation time accord. EN 374.

Nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinyl chloride (0.7 mm).

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Environmental precautions:

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form:

low dusting fine granules

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 5

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

<i>Color:</i>	<i>yellow</i>
<i>Odor:</i>	<i>odorless</i>
<i>Odor threshold:</i>	<i>No information available.</i>
<i>pH-Value:</i>	<i>6 - 8</i>
<i>Melting temperature:</i>	<i>not determined</i>
<i>Boiling temperature:</i>	<i>not applicable</i>
<i>Flash point:</i>	<i>not applicable</i>
<i>Evaporation rate:</i>	<i>This product is a non-volatile solid.</i>
<i>Flammability (solid, gas):</i>	<i>not applicable</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>This product is a non-volatile solid.</i>
<i>Density:</i>	<i>5 g/cm³</i>
<i>Solubility in water:</i>	<i>insoluble (20°C)</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>Product is not auto-ignitable.</i>
<i>Decomposition temperature:</i>	<i>not determined</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>
<i>Explosive properties:</i>	<i>Product does not present an explosion hazard.</i>
<i>Oxidizing properties:</i>	<i>not oxidizing</i>
<i>Bulk density:</i>	<i>300 - 700 kg/m³</i>

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 6

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

The product may contain explosive fine dust or such dust may be produced by abrasion during transport or product transfer.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid formation of dust.

Thermal decomposition:

10.5. Incompatible Materials

None known.

10.6. Hazardous Decomposition Products

None if stored and handled according to specifications.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

LD50, oral: > 5000 mg/kg (rat)

LD50, dermal:

No information available.

LC50, inhalation:

> 5.1 mg/l (4h, rat)

Primary effects

Irritant effect on skin:

Non irritating (rabbit; OECD 404)

Irritant effect on eyes:

Non-irritating to eyes (rabbit; OECD 405)

Inhalation:

No information available.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 7

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

Ingestion:

No information available

Sensitization:

No sensitizing effect (guinea pig).

Mutagenicity:

No relevant data found.

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No specific target organ toxicity expected after a single exposure.

Repeated exposure: the substance or mixture is not classified as specific target organ toxicant.

Additional toxicological information:

Product is slightly bioavailable (inhalation experiments, rat).

12. Ecological Information

12.1. Aquatic Toxicity

Fish toxicity:

LC50: > 10000 mg/l (96h, Danio rerio; OECD 203)

Daphnia toxicity:

EC50: > 100 mg/l (48h, Daphnia magna)

Bacteria toxicity:

not determined

Algae toxicity:

EC50: > 100 mg/l (72h, Desmodesmus subspicatus; OECD 201)

12.2. Persistency and Degradability

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

12.3. Bioaccumulation

No information available.

12.4. Mobility

Product includes heavy metal(s). Prevent release into the environment. Special pretreatment required.

12.5. Results of PBT- und vPvP Assessment

According to Annex VIII to Regulation (EC) No. 1907/2006 (REACH): this product is neither a PBT (persistent/bioaccumulative/toxic) or vPvB (very persistent/very bioaccumulative/very toxic) substance nor does it contain a PBT or vPvB substance.

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 8

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

12.6. Other Adverse Effects

Water hazard class:

3, hazardous

Behaviour in sewage systems:

Treatment and discharge of waste water into biological treatment plant should be carried out according to official national and local regulations.

Further ecological effects:

AOX Value:

Product contains according to the formulation, organically bound halogen. It can increase the AOX-value in the water purification plants overflow or if it reaches waters.

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

In accordance with current regulations, product may be taken to a waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.

European Waste Code (EWC):

Uncleaned packaging:

Untaminated packaging may be recycled. Completely empty packaging can be disposed of with the regular waste.

Contaminated packaging must be disposed like the substance.

Waste Code No.:

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



43111 Bristol Yellow, medium

Page 9

Revised edition: 29.06.2018

Version: 4.0

Printed: 02.09.2020

IATA Class:

not applicable

Hazard no.:

14. 4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. Environmental Hazards

None

14. 6. Special Precautions for User

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

3, very hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

A Chemical Safety Assessment has not yet been carried out for this product.

15. 3. Further Information

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.