

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 1

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Urushi Lacquer, Aka, red (contains Urushiol)

Article No.: 809421

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Artists supplies

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.de

E-Mail: info@kremer-pigmente.de

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

H317

Cat.: 1

Skin sensitization, hazard category 1

May cause an allergic skin reaction.

Classification according to Directive No. 67/548/EC or No. 1999/45/EC

Safety Phrases:

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS07-1

Signal word:

Warning

Hazard designation:

H317

May cause an allergic skin reaction.

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 2

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Safety designation:

P235+P410
P280

Keep cool. Protect from sunlight.
Wear protective gloves/ clothing/ eye/ face protection.

Hazardous components for labelling:

2. 3. Other Hazards

Skin contact may cause dermatitis.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization:

Information on Components / Hazardous Ingredients:

Urushiol (Catechol; H317)	50 %	CAS-Nr: Urushiol EINECS-Nr: EC-Nr:
---------------------------	------	--

Additional information:

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Avoid contact with eyes, skin and clothes.

After inhalation:

Supply fresh air.

After skin contact:

*Wash off immediately with soap and plenty of water.
Clean affected skin with olive oil.
In case of skin irritation consult physician.*

After eye contact:

*Rinse open eyes with plenty of water for at least 15 minutes.
Consult a physician immediately.*

After ingestion:

Rinse mouth with plenty of water and consult physician.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 3

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Suitable extinguishing media:

Foam, CO₂, dry extinguishing powder.

Unsuitable extinguishing media:

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of toxic gases/vapors.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device and full protective gear.

Further information:

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Avoid formation of dust.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable containers for disposal.

6.4. Reference to other Sections

See Section 13 for information on disposal.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation.

Hygienic measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store product in a cool and well ventilated area.

Protect product from direct sunlight.

Requirements for storage areas and containers:

Store the product in the original container.

Information on fire and explosion protection:

Storage class (VCI):

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 4

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Further Information:

Storage temperature: 15 - 25°C

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

none known

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Ensure adequate ventilation, especially in confined areas.

Personal Protection

General protective measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Respiratory protection:

Provide adequate ventilation.

Hand protection:

Protective gloves (EN 374)

Protective glove material:

Recommended: min. 0.4 mm thickness, breakthrough time > 480 min.

Eye protection:

Tightly fitting safety goggles (EN 166).

Body protection:

Protective clothing.

Environmental precautions:

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form: viscous

Color: red

Odor: odorless

Odor threshold:

No information available.

next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 5

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

<i>pH-Value:</i>	<i>not determined</i>
<i>Melting temperature:</i>	<i>not applicable</i>
<i>Boiling temperature:</i>	<i>200°C</i>
<i>Flash point:</i>	<i>not available</i>
<i>Evaporation rate:</i>	<i>not applicable</i>
<i>Flammability (solid, gas):</i>	<i>not available</i>
<i>Upper explosion limit:</i>	<i>no information available</i>
<i>Lower explosion limit:</i>	<i>no information available</i>
<i>Vapor pressure:</i>	<i>not applicable</i>
<i>Vapor density:</i>	<i>No information available.</i>
<i>Density:</i>	
<i>Solubility in water:</i>	<i>not readily soluble</i>
<i>Coefficient of variation (n-Octanol/Water):</i>	<i>not applicable</i>
<i>Auto-ignition temperature:</i>	<i>not applicable</i>
<i>Decomposition temperature:</i>	<i>No data available.</i>
<i>Viscosity, dynamic:</i>	<i>not applicable</i>
<i>Explosive properties:</i>	<i>not explosive</i>
<i>Oxidizing properties:</i>	<i>No information available.</i>
<i>Bulk density:</i>	

9.2. Further Information

<i>Solubility in solvents:</i>	<i>Soluble in ethanol, diethyl ether and benzene</i>
<i>Viscosity, kinematic</i>	
<i>Burning class:</i>	

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 6

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Solvent content:

Solid content:

Particle size:

Other information:

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

None if handled and stored according to specifications.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid humidity.

Avoid direct sunlight.

Thermal decomposition:

10.5. Incompatible Materials

No information available.

10.6. Hazardous Decomposition Products

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

No toxicity expected.

LD50, oral:

LD50, dermal:

LC50, inhalation:

Primary effects

Irritant effect on skin:

Skin contact may cause dermatitis.

Irritant effect on eyes:

May cause eye irritation in sensitive persons.

Inhalation:

No information available.

Ingestion:

Can cause irritation of the mucous membrane.

Sensitization:

May cause sensitization by skin contact.

Mutagenicity:

No relevant data found.

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 7

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

Aspiration hazard: not applicable

12. Ecological Information

12.1. Aquatic Toxicity

No information available.

Fish toxicity:

Daphnia toxicity:

Bacteria toxicity:

Algae toxicity:

12.2. Persistency and Degradability

No information available.

12.3. Bioaccumulation

No information available.

12.4. Mobility

No information available.

12.5. Results of PBT- und vPvP Assessment

No data available.

12.6. Other Adverse Effects

Water hazard class:

Do not let run into surface waters, waste water or soil.

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13.1. Waste Treatment Methods

Product:

Dispose of according to official national and local regulations.

European Waste Code (EWC):

Uncleaned packaging:

Dispose of according to official local regulations.

Waste Code No.:

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 8

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

14. Transport Information

14.1. UN Number

ADR, IMDG, IATA

14.2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

14.8. Further Information

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation, self-assessment)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



809421 Urushi Lacquer, Aka, red (contains Urushiol)

Page 9

Revised edition: 27.03.2018

Version: 1

Printed: 05.06.2018

Restricted to professional users.

Technical instructions on air quality:

15.2. Chemical Safety Assessment

A Chemical Safety Assessment is not necessary for this product.

15.3. Further Information

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.